
## UL Listed Connectors Gras/Fuel Fired Equipment





Note: The term compressed and combustible gases, as used herein, means gases such as liquefied petroleum gases, and manufactured and natural fuel gases.

One of the rigorous testing requirements of UL536 testing is flexure cycle testing. UltraFuel Flex was flexure tested for 20,000 cycles while maintaining a working pressure of 175 psig. Upon successful completion of 20,000 cycles, UltraFuel Flex was pressurized to 875 psig (5:1 safety factor) and maintained pressure integrity.

Qty	I.D. (ln.)	A (ln.)	Pressure (PSI) 70°F		Offset (In.) Intermittent	Angular Deflection (Deg.)	Weight (Lb.)
	1.00	14.00	175	1.75	1.12	80°	5.00
	1.25	14.00	175	1.75	1.00	50°	6.00
	1.50	14.00	175	1.75	.75	50°	7.00
	2.00	17.00	175	2.75	1.12	60°	11.00
	2.50	17.00	175	2.50	.75	60°	14.00
	3.00	17.00	175	1.75	.62	50°	16.00
	4.00	20.00	175	2.00	.75	40°	23.00

\*Working pressures shown for the hose and braid are based on an operating temperature of 70°F (21°C) with a 5:1 safety factor.

NOTE: Assembly lengths are the minimum required to achieve movements noted on charts. Movements can increase by adding to the overall length. Please consult factory.

PROJECT				
CUSTOMER				
ENGINEER				
REPRESENTATIVE				
DRAWING #				



4560 Buckley Road Liverpool, NY USA 13088-2509 315/437-1611 • Fax 315/437-1903

www.flexhose.com • 1.877.TRI FLEX